

Johnsonite

Color Splash

SPECKLED RUBBER TILE & TREAD



 **Tarkett**



VE5 Showcap, VH1 Mariner, VJ9 Torch Lake, VG6 Canary

Good design for people and planet

The importance of interior design stretches far beyond aesthetics. Today's interiors are expected to support the comfort, productivity and wellness of every occupant. With excellent slip resistance, rubber tile can help reduce slip-and-fall accidents—while also cushioning underfoot and softening acoustics. We've combined these natural properties with gentle color combinations inspired by the outdoors, and manufactured them in a facility that's powered by 100% renewable electricity. It's the perfect union of safety and style—for both people and the planet.



ON COVER:
VE7 Mt Rainier, VF4 Husk, VJ2 Sand Shoreline, VJ7 Old York



VE2 Lake Shore, VF1 Octoberfest, VH4 Golden Flash
VH5 High Bridge Trail, VJ1 Sailor

Safety and style go hand in hand

The right stairwell management system improves both the safety and appearance of these critical spaces, helping reduce risk and improve mobility from top to bottom. With thousands of possible combinations, Johnsonite's comprehensive stairwell management system provides no shortage of options. Combined with Color Splash rubber tile, our complete system of products helps balance the needs of every project.



VF8 Cozy-Canyon, VH8 Orange Mary,
VK2 Bloody Mary On The Lake, VK4 Perry's Blue



VE1 Lake Cour D'alene, VH2 Adirondack, VK3 The Puget Sound
Wall Base: Perceptions 72 Harbour



MADE RIGHT MEANS JOHNSONITE

When you partner with Johnsonite by Tarkett, your flooring choices actively support the health of people and our environment. We've aligned our company with Cradle to Cradle principles, bringing you product solutions made with healthy materials and sustainable manufacturing processes, backed by our company-wide commitment to building a circular economy.

Minerality MRLR-PA2 Sculpted
Color Splash VE5 Snowcap, VK1 San Juan, VJ7 Old York, VJ9 Torch Lake, VH8 Orange Mary


We'll match any color

Johnsonite's industry-leading color technology for rubber flooring and accessories creates any running line or signature color—precisely, every time. With Color Splash rubber tile, you can tailor the field color or the speckled accents. Just another reason MADE RIGHT MEANS JOHNSONITE.




Color Splash

SPECKLED RUBBER TILE & TREAD




VE5 Snowcap W
50 White W *



VE6 Dusty Palouse WG
27 Mist WG *




VE1 Lake Cour d'Alene CB
TG5 Macadamia WG *




VE3 Spokane Warm CB
22 Pearl CB *




VE2 Lake Shore WB
09 Clay WB *




VG2 Dungeness Crab WG
20 Charcoal WG *




VF5 Gorge Area WG
TA4 Gateway WG *




VF9 Bryce Point CG
VL4 Cool Metal CG *




VG1 Forks Falls
VL4 Cool Metal CG *




VF8 Cozy Canyon CG
38 Pewter CG *



VE8 Sandstorm CB
VK8 Sandstorm CB *




VF1 Octoberfest CB
VL1 Harvest Time CB *




VE9 Antelope Valley CB
80 Fawn CB *




VF2 Oak Alley CB
VL2 Whispering Mist CB *




VF3 Greenbluff CB
VL2 Whispering Mist CB *




VK3 The Puget Sound
72 Harbour *




VK2 Bloody Mary on
the Lake
58 Windsor Blue *




VK4 Perry's Blue
58 Windsor Blue *




VG3 Ironsides B
40 Black B *




VG4 Cougar B
40 Black B *




VF4 Husk WG
32 Pebble WG *




VE4 Historic
47 Brown *



VE7 Mt Rainier WG
VK7 Mt Rainier WG *



VF6 Sandhill Crane CG
TG2 Shark Fin CG *



VF7 Cape May CG
TG3 Iron Mountain CG *



000 Color Name
000 Coordinating Color

Wall Base Coordinates Key

* We've identified Color Foundations® neutrals in the following way:


WB (Warm Beige), **CB** (Cool Beige), **WG** (Warm Grey), **CG** (Cool Grey), **B** (Black), **W** (White).

* Suggested colors for finishing borders (wall base).


Coordinated Johnsonite® Accessories are a printed approximation. Please refer to the Color Guide for accurate color representation.

Color Splash


SPECKLED RUBBER TILE & TREAD



VH2 Adirondack
21 Platinum CG*




VJ8 Palous Falls
TB3 Dover CG*



VK1 San Juan
VM5 Dream Teal*



VJ9 Torch Lake
VM5 Dream Teal*



VJ7 Old York
151 Iguana*




VG6 Canary
TG7 Canary*




VG5 Ride the Duck
TG1 Snowbound W*




VH4 Golden Flash
VM8 Mr Sunshine*




VH5 Highbridge Trail
TA7 Rusty Nail*



VH6 Jockey's Ridge
VL9 Red Clay*




VJ5 Vineyard
TH1 Glenhaven*




VJ6 Douglas Fir
VM4 Green Smoke*




VH3 Liberty
VL8 Grinch*




VG9 Maritime
50 White W*



VG8 Cannon Beach
50 White W*




VJ1 Sailor
VL7 Sailor Red*




VH8 Orange Mary
VM1 Hot Spice*




VH7 Spicy Clementine
VM1 Hot Spice*




VH9 Lake Chelan
TB6 Flame*




VJ4 Plymouth Rock
VM3 Misted Plum*




VJ3 Dawgs
TB4 Grapest*



VJ2 Sand Shoreline
VM2 Shoreline Purple*



VH1 Mariner
18 Navy Blue*



VG7 Echo Lake
18 Navy Blue*



VK5 Cape Hatteras
TH2 Blue Intensity*



000 Color Name
000 Coordinating Color

Wall Base Coordinates Key

* We've identified Color Foundations neutrals in the following way:

WB (Warm Beige), **CB** (Cool Beige), **WG** (Warm Grey), **CG** (Cool Grey), **B** (Black), **W** (White).

* Suggested colors for finishing borders (wall base).

Coordinated Johnsonite® Accessories are a printed approximation. Please refer to the Color Guide for accurate color representation.

Tarkett Solution SPECtrum™

Design more brilliantly.

At Tarkett, we believe in placing people in the center of every space. So we've developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more supportive spaces that maximize return on investment. Our full palette of colors, patterns, and textures is coordinated to work together visually across product categories—creating the perfect balance for people, planet, and performance.

The BrillianceSM Digital Color System puts the entire TARKETT SOLUTION SPECtrum portfolio at your fingertips—no matter where you happen to be working. Within one digital tool, you can save favorite surfaces to project boards, visualize them in a space, and order samples. By getting the right color match every time, the tool reduces sample waste and shipping, helping us all design more responsibly and reduce our carbon footprints. Speak to your Tarkett sales representative to get started, or visit brilliance.tarkett.com.



Diplomat Wall Base
24 Grey Haze




Inflection Wall Base
VK7 Mt Rainier




Silhouette Wall Base
460 Cotton




Color Splash Rubber
VF2 Oak Alley




Maelstrom 04849
Blue Spirit 33201




Color Splash Rubber
VH2 Adirondak




ColorMap 11130
Landing Zone 42808



ColorKnit 11128
Spice Market 30221



Fabricate 11498
Tigriss 36214



Color Splash Rubber
VF3 Greenbluff



Thread Craft 11659
Warm Cashmere 60807



Proof in Every Step

For years, Tarkett has raised the sustainability standards of our industry. We took the first steps and are determined to stay a step ahead.


And while inspirational words are great, we know impact is in the numbers – numbers subjected to intense third-party scrutiny. So, at Tarkett we don't just say it, we prove it.

These three values help us stay the course when it comes to sustainability.




Setting New Transparency Standards

What you begin with affects everything that comes after it. That's why we subject our products to relentless scientific scrutiny and third-party testing and offer radical transparency about our materials and operations.



Empowering the Next Step in the Value Chain

We make our business partners and customers more inherently sustainable with products and practices that consider every step in the value chain.



Creating Healthier Futures

We base all our sustainability initiatives on our commitment to create healthier environments indoors and out, today and for generations to come.

You can feel confident in the numbers



A holistic approach you can count on...

95%

of our raw materials are third-party assessed for their impact on human and environmental health based on Cradle to Cradle criteria.

70%

of raw materials are abundant, rapidly renewable or recycled.

14

zero-waste to landfill manufacturing plants.



...And certifications you can trust.

2011

started working with EPEA to integrate Cradle to Cradle principles into every facet of our business.

2013

first commercial flooring **CERTIFIED asthma and allergy friendly**.

2022

Powerbond RS is the first soft surface product in the industry to be **CERTIFIED asthma and allergy friendly**.



We're leaders in radical transparency.

100_{ppm}

raw materials content revealed down to 100 parts per million.

When most manufacturers reveal raw materials content down to just 1,000 ppm, there's simply no contest.

We've been providing Material Health Statements since 2013 to give you peace of mind about the content of our products.



Setting tomorrow's standards...

99%

of flooring solutions have low VOC emission levels – 10x lower than the most stringent world standards.

100%

ortho-phthalate-free vinyl production. First company to eliminate ortho-phthalates from all products.



...For globally recognized excellence.

2010

first flooring manufacturer to join the UN Global Compact.

2021

awarded the Gold medal by EcoVadis; now ranked among the top 2% of companies in our industry rated by EcoVadis.

2022

scored A-, the CDP management level, regarding the climate change performance assessment.

At Tarkett, social and environmental responsibility aren't add-ons. They're woven, stamped and sealed into everything we do. But more importantly, we don't just say this, we prove it.



Sustainability attributes

RUBBER TILE

Carbon Footprint:
Carbon neutral available upon request

Healthy materials:
95% raw materials third-party assessed; non-PVC

Indoor air quality:
FloorScore® certified; meets CDPH 01350 v1.2

Multi-attribute certifications:
Cradle to Cradle Certified® Silver

Transparency documentation:
Product-specific EPD, Declare
Material Health Statement

Responsible end of use management:
Part of Tarkett ReStart program for take back and recycling

Transparency documentation

At Tarkett, transparency, social responsibility and environmental stewardship aren't add-ons—they're part of everything we do. By partnering with ecomedes and mindful MATERIALS, we make it easy for you to explore our sustainable flooring product options, their product certifications, green building systems and federal standards support documents. Visit tarkett.ecomedes.com to learn more.



To join the ReStart program, scan the QR code or go to commercial.tarkett.com/Restart

Color Splash specifications

TECHNICAL DATA			
Type of Floor Covering	ASTM F1344	Rubber Floor Tile	Rubber Floor Tile
Classification	ASTM F1344	Class 1-B (Through Mottled)	Class 1-B (Through Mottled)
Total Thickness	ASTM F386	1/8" (3.17mm)	.080" (2mm)
Static Load Limit	ASTM F970	250 PSI, ≤ 0.005 inches	250 PSI, ≤ 0.005 inches
Chemical Resistance	ASTM F925	Passes	Passes
Resistance to Heat	ASTM F1514	< 8.0 ΔΣ	< 8.0 ΔΣ
Hardness	ASTM D2240	≥ 85 Shore A	≥ 85 Shore A
Size/Squareness	ASTM F2055	Passes	Passes
Dimensional Stability	ASTM F2199	≤ 0.15%	≤ 0.15%
Abrasion Resistance	ASTM D3389	< 1 gm loss after 1,000 cycles	< 1 gm loss after 1,000 cycles
Slip Resistance	ASTM D2047	≥ 0.5 SCOF	≥ 0.5 SCOF
Flame Resistance	ASTM E648	Class 1 (≥ 0.45 W/cm²)	Class 1 (≥ 0.45 W/cm²)
Smoke Density	ASTM E662	< 450	< 450
Warranty		5 years	5 years
Tile Size		24" x 24" (61cm x 61cm)	24" x 24" (61cm x 61cm)
Quantity (per carton)		8 tiles	12 tiles
Weight (per carton)		32 sq. ft. (3.0 m²)	48 sq. ft. (4.5 m²)
Colors		34 lb. (15.4 kg)/ctn	33.4 lb. (15.1 kg)/ctn
		50	50
Surface Textures	ARTISTIC SQUARE - ARTSP-XX	SO	NA
	BAMBOO - BMRTSP-XX	STD	NA
	CHOPPED BAMBOO - CBMR TSP-XX	SO	NA
	CUBIS - CRTSP-XX	SO	NA
	DIAMOND - CNSP-XX	STD	NA
	FLAGSTONE - FRTSP-XX	SO	NA
	HAMMERED - HRTSP-XX	STD	STD
	PEBBLES - PRTSP-XX	SO	SO
	RAISED ROUND - RTSP-XX-RD	STD	NA
	RAISED SQUARE - RTSP-XX-SQ	STD	NA
	RICE PAPER - FRPASP-XX	STD	STD
	SMOOTH	NA	NA
	WEATHERED - WRTSP-XX	SO	SO

Please visit tarkett.com for the most updated specifications, installation, cleaning, and maintenance instructions.

How to Order:
Surface Code – Color Number – Thickness (Example: HRTSP – LA2 – 1/8", or HNRP – LA2 – .080")

Tarkett North America
30000 Aurora Road, Solon, Ohio 44139
800.899.8916 | tarkett.com

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.

©Tarkett North America 42399400078 2/2024

Tarkett North America

30000 Aurora Road, Solon, Ohio 44139
800.899.8916 | [tarkett.com](https://www.tarkett.com)

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.

©Tarkett North America **42399400078** 2/2024